

SUPPLEMENT TO



The Gazette of India

No. 43]

NEW DELHI, SATURDAY, NOVEMBER 17, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October 1956.

CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE									
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.		
STATES PART (A) AND PART (C)															
Ajmer															
TOTAL	—	—	..	I	I	Nowrangpur	—	5	2		
(Estd. mid-year pop. 752 thousands.)								TOTAL	—	5	2		
Total for w/e 13-10-56	I	I		(Estd. mid-year pop. 9,817 thousands.)							
Total for w/e 6-10-56		Total for w/e 13-10-56	3	I		
7-yearly mean for the week		Total for w/e 6-10-56	7	I		
Assam								7-yearly mean for the week	..	9	6	2	I		
Bhopal								TOTAL	7	3	..		
Andhra															
Srikakulam	2	I	I	(Estd. mid-year pop. 867 thousands.)							
Visakhapatnam	3	I	Total for w/e 13-10-56	2	I	..		
Godavari East	23	11	I	Total for w/e 6-10-56	8	I	..		
Godavari West	24	18	3	I	..	7-yearly mean for the week		
Krishna	3	I	13	I	..	TOTAL	7	3	..		
Guntur	7	4	38	19	..	(Estd. mid-year pop. 867 thousands.)							
Nellore	6	I	..	Total for w/e 13-10-56	2	I	..		
Kurnool	9	Total for w/e 6-10-56	8	I	..		
Chittoor	12	3	..	7-yearly mean for the week		
Bihar								TOTAL	7	3	..		
"N. R."								Surat	8	I	..		
Bombay								Ahmednagar	23	8	..		
Kolhapur								East Khandesh	58	19	4		
Nasik								West Khandesh	41		
TOTAL	..	61	35	86	16	Nasik	68	23	..		
(Estd. mid-year pop. 21,238 thousands.)								Kolhapur	2		
Total for w/e 13-10-56	14	8	62	13		TOTAL	200	51	4		
Total for w/e 6-10-56		(Estd. mid-year pop. 29,569 thousands.)							
7-yearly mean for the week	140	69	50	II	..	Total for w/e 13-10-56	126	37	7		
								Total for w/e 6-7-56	62	22	23	2	..		
								7-yearly mean for the week	..	52	19	13	2		

Explanation of Symbols used : C—Cases; D—Deaths; ..—Nil; =—"NR" Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October, 1956—contd.

	CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Coorg																			
"N.R."																			
(Estd. mid-year pop. 38,273 thousands.)																			
Delhi																			
Total for w/e 13-10-56																			
New Delhi	I	Total for w/e 6-10-56	95	15
TOTAL	I	Total for w/e 6-10-56	53	23
(Census pop. 1,744 thousands.)	7 yearly mean for the week																		
Total for w/e 13-10-56	I	Manipur						
Total for w/e 6-10-56	TOTAL
7-yearly mean for the week	(Estd. mid-year pop. 613 thousands.)						
Himachal Pradesh																			
TOTAL	Total for w/e 13-10-56
(Estd. mid-year pop. 1,003 thousands.)	Orissa																		
Total for w/e 13-10-56	Cuttack	96	46	4	..
Total for w/e 6-10-56	Puri	32	9	12	..
Madhya Pradesh																			
TOTAL	Dhenkanal	12	11	2	..
(Estd. mid-year pop. 1,511.4 thousands.)	Orissa																		
Total for w/e 13-10-56	Kalahandi	11	11
Total for w/e 6-10-56	Mayurbhanj	2	2
Madras																			
Madras	I	TOTAL	..	I53	79	18
Chingleput	17	3	—	(Estd. mid-year pop. 15,114 thousands.)						
North Arcot	7	3	Total for w/e 13-10-56	223	114	12	I
Salem	8	2	Total for w/e 6-10-56	241	161	9	I
South Arcot	44	I4	7-yearly mean for the week	18	10	35	5
Tanjore	3	I	Punjab (I)						
Tiruchirappalli	I	TOTAL
Mathurai	2	(Census pop. 12,641 thousands.)						
Ramnathapuram	4	I	Total for w/e 13-10-56
Tirunelveli	21	4	—	Total for w/e 6-10-56
Malabar	8	5	7-yearly mean for the week	2
TOTAL	I15	34	TOTAL

Explanation of Symbols used: C=Cases; D=Deaths; —Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October, 1956—contd.

	CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Pondicherry																			
TOTAL	7	6	(Estd. mid-year pop. 26,396 thousands.)						—						
Tripura																			
TOTAL	Total for w/e 13-10-56 140						64	12	7		
(Estd. mid-year pop. 706 thousands.)																			
Total for w/e 13-10-56	“N.R.”						Total for w/e 6-10-56 66						39	23	18		
Total for w/e 6-10-56	7-yearly mean for the week ..						71	29	13	6	..		
Uttar Pradesh																			
Allahabad	6	Grand Total for States Parts (A) & (C) (Excluding Bihar, Coorg, Madhya Pradesh, Vindhya Pradesh) 566						249	258	65		
Aligarh	..	2	1	Corresponding Total for w/e 13-10-56 548						2		
Sitapur	..	15	18	Corresponding Total for w/e 6-10-56 420						244	228	86	3	..		
Tehri Garhwal	3	Corresponding 7-yearly mean for the week ..						744	309	175	38	5		
TOTAL	..	17	19	9	STATES PART (B)						..						
(Estd. mid-year pop. 66,780 thousands.)																			
Total for w/e 13-10-56	42	21	2	1	Corresponding Total for Hyderabad						8	3		
Total for w/e 6-10-56	33	15	2	..	3	..	Aurangabad	8	7		
7-yearly mean for the week	47	24	5	Parbhani	57	16		
Vindhya Pradesh																			
“N.R.”																			
West Bengal																			
Howrah	8	4	3	3	Corresponding Total for Jammu & Kashmir						96	31	4	1	..		
Calcutta	2	2	2	2	“N.R.”						“N.R.”						
Nadia	3	3	Corresponding Total for Patiala & East Punjab States Union						“N.R.”						
Murshidabad	..	22	12	5	Aurangabad		
Malda	..	89	39	Parbhani		
Jalpaiguri	..	1	1	Bhir		
Cooch Behar	..	5	2	Osmanabad		
TOTAL	..	130	63	10	5	..	Nalgonda		
“N.R.”																			

Explanation of Symbols used: C.—Cases ; D.—Deaths; ..—Nil; “N. R.” = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October, 1956—concl.

	CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Travancore-Cochin																		
TOTAL	20	18	Durg	12	5	8	4
Grand Total for States Part (B)	96	31	24	19	Balaghat	23	3
Grand Total for States Parts (A), (B) and (C)	662	280	282	84	Buldana	3	3	—
ARREAR INFORMATION																		
Madhya Pradesh																		
<i>For w/e 6-10-56</i>																		
Chhindwara	1	Bhopal
Hoshangabad	..	15	7	TOTAL	2	1

Explanation of symbols used : C = Cases; D = Deaths; .. = Nil; "N. R." = Information not received.

NEW DELHI-2 (INDIA);
The 12th November, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION
INVEST YOUR SAVINGS IN
GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Price: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956

Deaths from —

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

STATES—(Parts A and C)

Ajmer

Ajmer	223	125	29.1	11	2	11	..	46	10.7	7
Beawar	59	13	11.4	3	..	2	..	13	11.4	4
TOTAL	282	138	25.4	14	2	13	..	59	10.9	11

Andhra

Adoni	63	49	40.3	2	..	13	10.7	3
Anantpur	38	9	12.3	1	..	2	..	10	13.7	1
Anakapalli	46	15	17.0	1	13	14.7	2
Bhadravaram	36	30	43.3	1	..	6	8.7	1
Chirala	43	26	31.4	4	9	10.9	2
Chittoor	45	46	53.2	1	..	9	10.4	6
Guddapah	42	11	13.6	2	2.5	—
Eluru	99	37	19.4	10	..	5	2	31	16.3	4
Gudivada	36	22	31.7	2	..	2	..	10	14.4	5
Guntur	147	132	46.7	5	6	8	2	59	20.9	14
Guntakal	37	21	29.5	2	1	2	..	9	12.6	2
Kakinada	113	34	15.6	12	30	13.8	5
Kurnool	68	62	47.4	1	2	3	..	30	23.0	2
Masulipatnam	88	20	11.8	2	8	4.7	..
Nandyal	37	32	45.0	—	1	1	1	..	10	14.0	3
Nellore	95	79	43.2	2	2	23	12.6	10
Proddatur	42	22	27.2	3	1	1	..	7	8.7	1
Rajahmundry	122	59	25.1	6	1	2	..	29	12.4	3
Tenali	67	44	34.1	1	..	16	12.4	4
Vijaywada	201	159	41.2	10	5	8	3	53	13.7	10
Visakhapatnam	128	80	32.5	..	1	..	9	3	8	..	38	15.4	10
Vizianagaram	73	40	27.7	2	2	3	..	24	16.6	5
TOTAL	1,668	1029	32.1	..	1	..	71	26	50	7	439	19.7	93

Assam

Shillong†	51
Gauhati	46	4	4.5
Dibrugarh
Silchar	43	3	3.6	1	1	3	3.6	..
TOTAL	140	7	2.6	1	1	3	1.1	..

Bhopal

Bhopal	116	36	16.1	2	..	2	..	5	2.2	..
--------	-----	----	------	----	----	----	---	----	---	----	---	-----	----

Bihar

"N.R."

Bombay

Ahmedabad	889	961	56.2	14	20	55	..	294	17.3	83
Ahmednagar	88	71	42.0	1	..	4	..	16	7.5	3
Amalner	50	28	29.1	2	..	4	..	12	12.4	2
Bagalkot	36	30	43.3	1	7	10.1	..
Baroda	242	228	49.0	16	..	14	..	81	17.4	22
Barsi	46	40	45.2	6	..	2	..	20	22.6	9
Belgaum	110	137	64.8	3	3	4	..	57	26.9	13
Bhujawal	62	41	34.3	6	9	7.5	1
Bijapur†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .—Nil Information ; N. R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Broach	67	70	54.3	6	1	4	..	16	12.4	..
Cambay	41	57	72.3	2	..	13	16.5	3	
Chalisgaon	35	29	43.1	7	..	3	..	15	22.3	4
Dharwar	76	41	28.1	1	1	14	9.2	1
Dhulia	89	65	38.0	10	1	1	..	23	13.4	6
Gadag Betegeeri	71	44	32.2	5	1	1	..	17	12.5	4
Godra	40	24	31.2	3	..	2	..	9	7.8	1
Greater Bombay	3,449	1,934	29.2	1	31	109	1	658	9.9	201
Hubli	148	63	22.1	3	..	11	3.9	2
Jalgaon	79	29	19.1	1	1	2	1	11	7.2	1
Kalyan	73	43	30.6	1	6	4.3	3
Kolhapur	159	139	45.5	2	..	7	..	36	11.8	6
Malegaon	63	44	36.2	7	..	4	..	11	9.1	..
Miraj	44	7	8.3
Nadiad	71	69	50.5	19	25	18.2	7
Nandurbar	35	23	34.2	2	2	2	..	10	14.9	..
Nasik†
Navasari	50	58	60.3	5	16	16.6	5
Pandharpur	44	39	45.9	4	3	10	..	23	27.2	8
Patan	47	55	60.9	3	3	3	2	19	21.0	2
Poona	607	325	27.8	5	6	19	1	140	12.0	42
Sangli	58	32	28.7	1	1	2	..	16	14.2	4
Satara	40	49	63.7	2	..	4	..	14	18.2	1
Sholapur	299	368	64.0	15	9	46	..	167	29.0	47
Suret	250	248	51.6	12	4	17	1	97	20.2	30
Thana	61	32	27.3	2	1	2	..	11	9.4	3
TOTAL	7,519	5,423	37.5	163	88	325	6	1,871	12.9	514
Delhi State													
Delhi City	1,124	694	32.1	63	9	22	..	149	6.9	61
New Delhi	374	348	48.4	5	1	3	..	119	16.5	26
N. A. C. Civil Station Delhi	117	145	64.4	2	2	4	..	19	8.4	9
Delhi Cantt	50	25	26.0
Delhi Shahdara	53	24	23.5	8	..	2	..	10	9.8	3
TOTAL	1,718	1,236	37.4	78	12	31	..	297	9.0	98
Madhya Pradesh													
"N. R."													
Madras													
Ambur†	56	42	39.0	3	3	2	1	20	18.6	6
Aruppukottai	40	12	15.6	1	1	..	6	7.8	2
Bodinayakanpur
Cannanore	47	18	19.9	1	..	14	15.5	2
Chidambaram	39	40	53.3	2	1	13	19.3	3
Coimbatore	234	299	66.4	1	2	18	..	72	16.0	17
Cuddalore	74	78	54.8	2	..	4	2	20	14.0	5
Dindigul	90	45	26.0	4	1	3	..	19	11.1	6
Erode	67	49	38.0	1	2	..	19	14.7	4
Gobichettipalyam	38	30	41.0	18
Gudiyattam	53	51	50.0	1	1	3	..	18	17.7	5
Kancheepuram	90	81	46.8	1	..	13	1	36	20.8	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not Received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 20th October, 1956—*contd.*

Deaths from t—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Karaikudi	44	28	33.0	2	..	1	..	6	7.0	2
Karur	50	22	22.9	2	1	13	13.5	3
Kozhikode	176	89	26.3	4	..	II	..	52	15.4	7
Kumbakonam	105	122	60.4	1	..	2	..	26	12.9	6
Madras	1,703	1,522	46.5	40	96	141	2	591	18.0	172
Mangalore	136	90	34.4	1	1	4	..	20	7.6	1
Mathurai	427	339	41.3	8	6	31	1	139	16.9	45
Mayuram	49	32	34.0	2	..	13	13.8	2
Malapalyam	41	10	12.9	1	2	2.5	..
Nagapattinam	60	30	26.0	3	2	13	11.4	1
Ootacamund	47	25	27.0	1	5	5.4	3
Palni	40	18	23.4	1	..	6	..	15	19.5	4
Paleyankottai	45	42	48.5	6	3	3	1	23	26.6	4
Palghat	77	56	37.8	1	1	6	1	27	18.2	6
Periyakulam	34	22	33.6	2	2	3	1	21	32.1	4
Pollachi	51	62	63.2	2	3	..	24	24.5	5
Pudukkottai†													
Rajapalayam	69	54	40.7	2	5	4	..	23	17.3	2
Salem†													
Srirangam	42	39	48.3	1	1	6	7.4	3
Strivilliputtur†													
Tanjore	118	21	9.3	2	..	2	..	13	5.7	..
Telllicherry	42	32	39.6	15	18.6	1
Tiruvannamalai	45	18	20.8	1	..	1	..	10	11.6	1
Tirunelveli	80	51	33.2	3	4	2	..	20	13.0	5
Tiruppur	63	52	42.9	1	3	1	15	12.4	5
Tiruchirappalli	251	185	38.3	..	1	..	2	7	6	..	41	8.5	4
Tuticorin	111	84	39.4	4	7	12	..	50	23.4	18
Vaniyambadi	43	34	41.1	1	2	1	1	9	10.9	2
Yellore	124	149	62.5	1	6	13	..	53	22.2	8
Villupuram	39	45	60.0	1	2	..	11	14.7	4
Virudunagar	53	39	38.3	1	2	..	13	12.8	3
TOTAL	4,994	4,057	42.2	..	1	..	101	159	309	14	1,506	15.7	376
Orissa													
Berhampur	72	90	65.2	4	7	3	..	33	23.8	12
Cuttack	117	105	46.8	2	2	..	8	..	37	16.5	5
Puri	53	45	44.2	..	1	..	8	6	2	..	31	30.5	1
TOTAL	242	240	51.6	2	1	..	14	13	13	..	101	20.7	18
Pondicherry													
Pondicherry	68	79	60.4	..	1	..	4	4	3	2	25	19.1	13
Punjab (I)													
Ambala	65	81	65.0	2	4	6	1	19	15.1	7
Amritsar	343	316	48.0	1	6	20	1	75	11.3	19
Batala	62	39	32.6	2	1	6	..	16	13.5	1
Bhiwani	57	76	69.5	10	..	1	..	15	13.6	4
Ferozepore	45	42	48.4	1	2	..	7	8.0	3
Hissar	39	46	61.5	1	2	..	5	6.6	3
Hoshiarpur	51	37	37.7	4	..	3	..	13	13.3	2
Jullundur	200	221	57.6	13	4	11	..	36	9.4	14
Karnal	72	71	51.4	2	1	4	..	11	8.0	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.
Punjab (1) —<i>contd.</i>													
Ludhiana	176	187	55.4	11	1	2	..	30	8.9	9
Moga	41	38	48.3	3	6	7.6	1
Panipat	64	60	49.0	3	3	11	9.0	4
Pathankot	34	35	53.6	1	..	2	..	5	7.6	1
Rewari	36	32	46.3	3	2	7	10.2	3
Rohtak	105	94	46.5	3	1	1	..	12	6.0	5
Simla†
Sonipat	..	34	41	63.0	8	12.1	2
TOTAL	1,424	1,416	51.7	58	24	60	2	276	10.1	81
Uttar Pradesh													
Agra	375	275	38.3	1	11	71	..	129	18.0	42
Allahabad	349	210	31.4	1	2	22	..	55	8.2	14
Amroha	61	76	65.0	9	4	7	..	37	31.5	17
Bahraich	47	27	30.0	1	3	3.3	3
Banaras	383	433	59.1	58	19	16	2	248	33.6	56
Ballia	35	10	14.8	2	3.0	1
Banda	32	24	39.0	1	1	1	..	8	13.0	3
Bareilly†	4	6.5	2
Bijnor	32	18	28.4
Budaun	54	40	38.6	4	15	14.5	6
Basti†
Bulandshahrt
Chandausi	41	50	64.2	4	2	4	..	20	25.1	2
Dehra Dun	146	58	20.8	2	8	2.9	4
Etawah	64	66	53.6	5	3	2	..	18	14.7	5
Faizabad-Ayodhya	88	43	25.5	1	2	..	13	6.5	3
Farrukhabad-Fatchgarh	82	69	44.0	3	2	1	..	15	9.6	3
Ferozabad	79	33	21.6	1	2	15	9.7	3
Ghazisabad	46	44	50.0	4	6	6.8	2
Ghazipur	36	39	56.6	8	15	21.8	2
Gorakhpur	140	105	39.2	8	..	1	..	25	9.3	6
Gonda	35	6	9.0
Hapur	49	72	76.8	6	..	5	..	12	12.8	..
Hardwar	64	38	31.0	10	2	5	..	25	20.4	13
Hathras	62	85	71.6	7	..	6	..	25	21.1	10
Jaunpur	56	32	29.7	2	..	5	..	10	9.3	1
Jhansi	116	117	52.4	14	..	3	..	27	12.2	9
Kanpur	734	143	21	49	9	368	26.2	96
Kaaganj	34	15	23.1	6	1	7	10.8	4
Khurja	41	28	35.7	2	2	6	..	15	19.0	2
Koil-Aligarh	150	85	29.6	8	1	4	..	15	5.2	3
Lucknow	494	389	41.2	15	5	15	..	90	9.5	22
Mathura	110	126	59.7	5	2	5	2	24	11.4	10
Mau-Nath Bhanjant
Meerut	185	128	36.2	8	4	9	..	29	5.4	9
Mirzapur-Vindhyachal	97	44	23.7	4	1	2	..	16	8.6	4
Moradabad	164	195	62.0	6	2	9	2	35	11.1	12
Muzaffarnagar	74	48	33.9	5	1	..	1	15	10.6	3
Pilibhit	45	40	45.5	6	1	3	..	15	17.4	6

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Rampur†													
Saharanpur	162	13.2	42.6	22	1	3	..	40	12.9	12
Sambhal	65	78	62.7	6	5	5	..	25	20.1	9
Shahjahanpur	99	8.4	34.5	10	1	3	..	25	10.3	7
Sitapur	49	30	32.2	3	8	8.1	4
TOTAL	4,975	3,392	35.5	396	97	265	18	1,460	15.3	410

West Bengal

"N.R."

STATES—(Part B)**Hyderabad**

"N.R."

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

Mysore

Chitaldrug	31	6	10.1	2	3	5.0	..	
Hassan	30	21	36.4	4	6.9	..	
Bangalore	977	773	41.1	10	43	48	..	275	14.6	..
Mysore	294	170	30.1	17	4	1	..	66	11.7	..
Kolar	32	27	43.9	4	6.5	..	
Kolar Gold Field	173	84	25.2	2	1	4	..	20	6.0	..
Bellary	78	29	19.3	2	..	3	..	27	18.0	..
Davangere	69	7	5.3	4	3.0	..	
Hospet	45	26	30.0	1	1	1	1	11	12.7	..
Shimoga	57	32	29.2	4	1	1	1	10	9.1	..
TOTAL	1,786	1,175	34.3	36	50	58	4	424	12.3	..

PEPSU

Patiala City	111	67	31.4	16	3	1	..	39	18.3	17
Malerkotla	34	62	94.8	3	..	2	..	9	13.8	2
Bhatinda	39	45	60.0	1	2	2.7	..
TOTAL	184	174	49.2	20	3	3	..	50	14.1	19

Rajasthan

"N.R."

Travancore-Cochin

Alleppey	148	6	2.1	2	1	1	..	16	5.6	2
Changanacherry	41	25	31.7	6	7.7	..
Ernakulam	70	60	44.6	3	..	2	1	15	11.1	2
Kottayam†													
Mattancherry	85	72	44.1	2	..	2	..	19	11.6	4
Nagercoil	94	17	9.4	2	..	2	..	11	6.1	3
Quilon	75	45	31.0	2	1	2	..	20	13.9	..
Trichur	76	45	33.8	1	..	8	5.5	1
Trivandrum City	218	112	26.7	3	..	3	..	25	6.0	3
TOTAL	807	382	24.6	14	2	13	1	120	7.7	15

Saurashtra

Bhavnagar	157	93	30.8	15	1	4	..	43	14.2	12
Dhoraji	47	39	43.1	5	2	1	..	9	10.0	..
Gondal	41	30	38.0	2	1	1	..	7	8.9	..
Jamnagar	122	33	14.1	8	3	4	..	21	9.0	8
Junagadh	65	22	17.6	7	2	1	..	20	16.0	7
Morvi	43	21	25.3	3	1	2	..	7	8.5	1
Porbandar	64	20	16.2	6	2	2	..	19	15.4	7
Rajkot	167	73	22.7	17	3	6	..	43	13.4	18
Surendranagar†													
Veraval	46	9	10.2	..	—	..	1	..	3	..	6	6.8	..
TOTAL	752	340	23.5	64	15	23	..	175	12.1	53

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—contd.

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURN													
Orissa													
Berhampur	72	50	36.2	3	2	..	14	10.1	5	
Cuttack	117	108	48.2	3	11	4	7	49	21.8	10	
Puri	53	46	45.3	7	8	1	43	42.3	9	
TOTAL	242	204	43.8	3	21	14	8	106	22.8	24	
<i>For w/e 13-10-56</i>													
Berhampur	72	65	47.1	4	2	1	20	14.5	7	
Cuttack	117	125	55.8	4	11	3	7	56	25.0	7	
Puri	53	35	34.4	15	4	2	34	33.4	4	
TOTAL	242	225	48.4	4	30	9	10	110	23.6	18	
West Bengal													
Asansol†													
Baidyabati	33	3	4.7	
Bally	66	3	2.4	
Bankura†													
Bansberia†													
Baranagar	90	50	29.0	2	1	1	8	4.6	2
Basirhat	39	3	4.0	1	1.3	..
Berhampur	64	66	53.9	..	2	..	2	4	21	17.2	5
Bhadreswar	34	6	9.2	3	4.6	1
Bhatpara	143	25	9.1	9	1	2	27	9.9	8	
Budge Budget†													
Burdwan	82	20	12.8	1	2	2	..	13	8.3	..
Calcutta	2,984	1,596	28.0	6	3	..	32	37	131	3	578	10.1	183
Champdani†													
Cooch Behar†													
Darjeeling†													
English Bazar	36	3	4.4	3	1	1	..	12	5.1	5
Garden Reach	124	15	6.3	
Hallsahar	41	2	2.6	1	1.3	..
Hoogly-Chinsurah	60	75	65.4	3	2	1	1	12	10.5	1
Howrah	477	165	18.1	2	1	..	10	8	31	..	119	13.0	42
Jalpaiguri	49	20	21.3	2	..	1	..	7	7.5	..
Kamarhati†													
Kanchrapara	74	2	1.4	2	..	2	1.4	..
Krishnanagar	56	1	0.9	..
Midnapore	45	35	40.7	1	5	5.8	..
Nabadwip†													
Naihati	62	8	6.7	2	1.7	1
North Barrackpore	36	2	2.9	1	1.5	1
Panihati†													
Shantipur	49	31	33.1	5	5.3	..
Serampore	83	36	22.7	3	..	18	11.3	7
Siliguri	44
South Dum Dum	83	1	0.6
South Suburban†													
Titagarh†													
TOTAL	4,854	2,167	23.2	8	6	..	62	58	175	5	836	9.0	256
Punjab													
Jullundur	200	147	38.4	18	14	9	..	47	12.3	16
<i>For w/e 29-9-56</i>													
Moja	41	36	45.9	2	4	5.1	..
<i>For w/e 6-10-56</i>													
Ferozepur	45	45	52.0	1	4	15	17.3	2
Moga	41	30	38.2	1	1	3	3.8	1

* In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rates ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
Assam													
Dibrugarh	46
Silchar	43	12	14.7	5	6.0	..
TOTAL	89	12	7.2	..	5	2.8	1						
Assam													
Gauhati	51	12	12.2	2	2	..	1	9	9.2	1
<i>For w/e 13-10-56</i>													
Gauhati	51	6	6.1	4	2	9	9.2	1
Silchar	43	5	6.0	5	1	..	2	12	14.5	1
TOTAL	94	11	6.1	9	3	1	2	21	11.6	2
Madhya Pradesh													
Nagpur	528	242	23.8	14	1	7	..	72	7.1	7
Kamptee	36	42	60.7	1	1.4	..
Chanda	43	44	53.2	2	1	14	16.9	7
Chhindwara	31	19	31.8	2	1	9	15.1	1
Sagar	75	37	25.6	2	..	4	..	6	4.2	..
Damoh	42	24	29.7	4	6	7.4	..
Itarsi	30	21	36.4	1	7	12.1	4
Khandwa	59	19	16.7	3	4	3.5	..
Burhanpur	79	75	49.4	5	1	1	..	12	7.9	..
Bilaspur	40	32	41.6	2	1	10	13.0	4
Gondia	45	54	62.4	2	..	1	1	7	8.2	3
Yeotmal	41	47	59.6	6	1	21	26.6	..
Akola	104	104	52.0	8	4	1	..	28	14.0	7
Raigarh	35	7	10.4	1	1	1.5	..
TOTAL	1188	767	33.6	52	9	14	2	198	8.7	33
<i>For w/e 29-9-56</i>													
Chanda	43	72	87.1	1	..	1	..	15	18.1	4
<i>For w/e 6-10-56</i>													
Raigarh	35	35	52.0	7	7	10.4	..
Travancore-Cochin													
Quilon	75	25	17.3	5	3.5	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:— B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 20th October, 1956, relate to 195 towns with an estimated population of 26,675 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 61% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 19,124 and 6,811 representing birth and death rates of 37.3 and 13.3 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 165 towns with an estimated population of 23,146 thousands. Information about Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 65% of the total number of towns representing 69% of the total population is covered. The number of births and deaths recorded in these towns were 17,053 and

6,042 representing birth rates and death rates of 38.3 and 13.6 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 30 towns with an estimated population of 3,529 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 46% of the total number of towns representing 44% of the total population is covered. The number of births and deaths recorded in these towns were 2,071 and 769 representing birth and death rates of 30.5 and 11.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 20-10-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	25.4	10.9	†	†	49.8	13.1
Andhra	32.1	13.7	48.8	17.6	†	†
Bombay	37.5	12.9	39.7	14.2	39.6	15.5
Delhi	37.4	9.0	46.5	10.3	49.9	9.9
Madras	42.2	15.7	44.2	16.4	†	†
Orissa	51.6	20.7	55.3	18.0	43.4	18.6
Punjab (I)	51.7	10.1	52.8	12.1	44.5	11.3
Uttar Pradesh	35.5	15.3	47.5	15.7	44.8	18.9
India*	38.3	13.6	44.3	14.9	43.4	17.4

* 6 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA) ;
The 12th November 1956. }

K. MITRA,
for Registrar General, India.